

Modern styling, feature-rich cordless phone, hidden base, handset speakerphone; Perfect for today's modern hotel rooms





CTM-S2110 (Matte Black)
1-Line SIP Hidden Base



CTM-S2115 (Silver Black)
CTM-S2110 + CTM-C4402 + C4012
1-Line SIP Hidden Base with Cordless
Handset and Charger



CTM-S2415HC (Matte Black)
CTM-C4402 + C4012
1-Line Contemporary SIP Cordless
Accessory Handset with Charger

KEY FEATURES

- Handset with antibacterial plastic inhibits 99.9% of bacteria growth
- Handset with gloss silver or matte finish resists fingerprint smudges and scratches
- Handset Speakerphone: hands-free conversations are easy with a touch of a button
- Hidden Base allows for flexible room placement and reduces cabling costs
- The flexibility to mix and match up to 4 accessory handsets
- Dedicated EMERGENCY and MESSAGE buttons, plus two additional speed dials/guest service buttons on handset
- Advanced SIP configuration tool for easy mass deployment and phone monitoring
- Supports M1 SIP DECT repeater to extend the range



CORDLESS FEATURES

- DECT technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Built-in speakerphone on cordless handset
- Calls are digitized and encrypted making eavesdropping nearly impossible
- Pre-installed handset battery reduces time and labor costs during installation
- Handset battery life: up to 7 hours of talk time with 5 days of standby time
- Adjustable RF transmission power prevents interference
- Expandable cordless system: up to a total of 4 cordless handsets
- Backlit handset dialpad
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- Answer a call by simply picking up the handset from the charger
- Charge LED feature ensures handset battery is charging
- Side handset volume control for easy access
- Hearing-aid compatible

PHONE FEATURES

- Compatible with all major PBXs
- Pass Thru Ethernet Port (10/100/1000)
- Hidden base supports PoE or DC power supply
- Large, Visual message waiting indicator on handset alerts guests of new messages
- Multi-step volume control (ringer, handset and speakerphone)
- Selectable ring tones
- Supports VLAN Tagging
- Hidden Base: Desk or wall-mountable
- Sturdy, solid construction ensures phone stays in place on the desk or nightstand
- Environmentally friendly RoHS program reduces the use of hazardous substances including lead, mercury, and cadmium

SPECIFICATIONS

- Handset and Charger Colours: Matte Black, Silver Black
- Hidden Base Colours: Matte Black
- Compatible with all major PBXs
- Message Waiting Signal Type: Varies by PBX, including SIP RFC 3261
- Radio Frequency Baseband: Available in DECT 1.7 GHz, DECT 1.8GHz
- Base power source: PoE (local power adapter sold separately)
- Handset Power Source: DC power adaptor
- Humidity: 45% - 85%
- Temperature: 5°C - 45°C

CERTIFICATIONS

- HAC
- CE
- RoHS
- UKCA

CORDS & ACCESSORIES

	CTM-S2115	CTM-S2415HC	
Standard LAN Cable w/RJ45 Connectors (Base)	10' (3 meters)	—	
Wall Mount for Hidden Base	Included	—	
Handset Charger	Included	Included	
Power Adapter (Handset Charger)	Included	Included	
Handset Battery	Included	Included	

DIMENSIONS

Phone Measurements	INCHES	CENTIMETERS	WEIGHT
CTM-S2110 (Hidden Base, Desk Mounted)	4.6" x 1.9" x 6"	11.6cm x 4.9cm x 15.1cm	0.6lbs (285g)
CTM-S2110 (Hidden Base, Wall Mounted)	4.6" x 2.1" x 6.1"	11.6cm x 5.4cm x 15.4cm	
CTM-S2415HC (Desk Mounted)	2.8" x 4.5" x 8.4"	7.1cm x 11.5cm x 21.4cm	1lbs (469g)
CTM-C4402 (Handset)	8.4" x 1.9" x 1.6"	21.3cm x 4.9cm x 4.2cm	0.4lbs (178g)
C4012 (Charger)	2.8" x 3.8" x 4.2"	7.1cm x 9.6cm x 10.8cm	0.6lbs (285g)

Carton Measurements			
CTM-S2115 (4 pcs per carton)	12.6" x 10.4" x 9.5"	31.9cm x 26.3cm x 24.2cm	9.1lbs (4.11kg)
CTM-S2110 (4 pcs per carton)	10.5" x 6.2" x 6.9"	26.6cm x 15.9cm x 17.6cm	3.3lbs (1.5kg)
CTM-S2415HC (12 pcs per carton)	15" x 14.6" x 9.8"	38cm x 37.2cm x 25cm	15.7lbs (7.12kg)
CTM-C4402 (12 pcs per carton)	8.1" x 8.5" x 7.3"	20.6cm x 21.6cm x 18.5cm	6.1lbs (2.78kg)
C4012 (12 pcs per carton)	16.5" x 10.2" x 7.9"	41.9cm x 25.8cm x 20cm	9.9bs (4.5kg)

* Some features may be revised subject to final design of hardware and software platform.
All weights above have included the weights of cords and accessories.