

MODERN STYLING

SMALL FOOTPRINT

AFFORDABLE PRICE

Perfect for today's modern hotel rooms



CTM-S2115
SIP 1-Line Hidden Base with 1 Cordless Handset and Charger

CTM-S2110
SIP 1-Line Hidden Base

CTM-S2415HC
Contemporary SIP 1-Line Cordless Accessory Handset with Charger

CTM-4402
Contemporary SIP 1-Line Cordless Accessory Handset

CTM-S2125
SIP 2-Line Hidden Base with 1 Cordless Handset and Charger

CTM-S2120
SIP 2-Line Hidden Base

CTM-S2425HC
Contemporary SIP 2-Line Cordless Accessory Handset with Charger

CTM-4502
Contemporary SIP 2-Line Cordless Accessory Handset

C4012
Charger for CTM-4402 and CTM-4502



CTM-S2115 SBK
CTM-S2125 BMK



CTM-S2110 MBK
CTM-S2120 MBK



CTM-S2415HC MBK
CTM-S2425HC MBK
CTM-C4402 + C4012
CTM-C4502 + C4012

KEY FEATURES

- Handset with antibacterial plastic inhibits 99.9% of bacteria growth
- Handset available in matte black and silver black, resists fingerprint smudges and scratches
- Handset Speakerphone: hands-free conversations are easy with a touch of a button
- Remote configuration: program network parameters remotely to avoid disturbing guests
- Hidden Base allows for flexible room placement and reduces cabling costs
- The flexibility to mix and match up to 4 accessory handsets
- Supports up to three Snom M1 SIP DECT repeaters to extend the range up to 500 feet
- Supports up to two handsets behind the M1 DECT repeater connection



Cordless Features

- DECT 6.0* technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Built-in speakerphone on cordless handset
- Handset battery life: up to 7 hours of talk time with 5 days of standby time
- Expandable cordless system: up to a total of 4 cordless handsets
- Backlit handset dialpad
- Adjustable RF transmission power prevents interference
- Calls are digitized and encrypted, making eavesdropping nearly impossible
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- Side handset volume control for easy access
- Pre-installed handset batteries reduces time and labor costs during installation
- Answer a call by simply picking up the handset from the charger

* This feature is available for US and Canada market only.

Phone Features

- Large, bright visual message waiting indicator on handset
- Base unit supports PoE or local power
- Pass Thru Ethernet Port (10/100)
- Supports VLAN Tagging
- Dedicated EMERGENCY & MUTE buttons, plus two additional customizable speed dial / guest service keys on handset
- Hearing aid compatible
- Multi-step volume control (ringer, handset and speakerphone)
- Base, desk or wall mountable
- Sturdy, solid construction ensures phone stays in place on the desk or nightstand
- Environmentally friendly RoHS program reduces the use of hazardous substances including lead, mercury and cadmium
- SIP configuration tool for easy mass deployment

SPECIFICATIONS

Handset colors: Matte Black, Silver Black

Base color: Matte Black

Message waiting signal type: SIP RFC 3261

Radio frequency baseband: Available in
DECT 6.0-1.9GHz* or

DECT-1.8GHz** two versions

Ethernet port : Fast ethernet port x 2

Base power source: PoE or local power adaptor
(adaptor sold separately)

Charger (C4012): Local power adaptor

Humidity: 65% ± 20%

Temperature: 25° C ± 10°

2-year limited warranty

CERTIFICATIONS

HAC

FCC Part 15 Class B

FCC Part 68

IC

CE**

UL / cUL

RoHS

Energy Star® * - CTM-S2415HC / CTM-S2425HC

CORDS

Standard LAN cable

with RJ45 connectors (for base connection)

Desk Version

6 feet 6 inch

* This feature is available for US and Canada market only.

** This feature is available for Europe market only.

DIMENSIONS

Master Carton Measurements: (12 pcs per carton)

CTM-S2115 - TBC, weight: TBC

CTM-S2110 - TBC, weight: TBC

CTM-S2125 - TBC, weight: TBC

CTM-S2120 - TBC, weight: TBC

CTM-S2415HC - 16.4 in. x 16.3 in. x 9.9 in. (49.7cm x 49.4cm x 30cm), weight: 23lbs

CTM-S2425HC - 16.4 in. x 16.3 in. x 9.9 in. (49.7cm x 49.4cm x 30cm), weight: 23lbs

Phone Measurements:

CTM-S2115 Handset + Charger	- 1.90 in. x 8.40 in. x 1.70 in. (21.2cm x 9.4cm x 19.1cm), weight: 1.0lbs
Base	- 1.67 in. x 4.55 in. x 5.94 in. (5.06cm x 13.8cm x 18cm), weight: 0.5lbs
CTM-S2110	- 1.67 in. x 4.55 in. x 5.94 in. (5.06cm x 13.8cm x 18cm), weight: 0.5lbs
CTM-S2125 Handset + Charger	- 1.90 in. x 8.40 in. x 1.70 in. (21.2cm x 9.4cm x 19.1cm), weight: 1.0lbs
Base	- 1.67 in. x 4.55 in. x 5.94 in. (5.06cm x 13.8cm x 18cm), weight: 0.5lbs
CTM-S2120	- 1.67 in. x 4.55 in. x 5.94 in. (5.06cm x 13.8cm x 18cm), weight: 0.5lbs
CTM-S2415HC	- 1.90 in. x 8.40 in. x 1.70 in. (21.2cm x 9.4cm x 19.1cm), weight: 1.0lbs
CTM-S2425HC	- 1.90 in. x 8.40 in. x 1.70 in. (21.2cm x 9.4cm x 19.1cm), weight: 1.0lbs

PRODUCT PART NUMBERS***

	Matte Black	Silver Black
CTM-S2115	80-H0EJ-15-000	80-H0EJ-06-000
CTM-S2110	80-H0EG-15-000	---
CTM-S2415HC	80-H0E5-15-000	80-H0E5-06-000
CTM-C4402	80-H0E3-15-000	80-H0E3-06-000
CTM-S2125	80-H0EK-15-000	80-H0EK-06-000
CTM-S2120	80-H0EH-15-000	---
CTM-S2425HC	80-H0DX-15-000	80-H0DX-06-000
CTM-C4502	80-H0E1-15-000	80-H0E1-06-000
C4012	80-H0E2-15-000	80-H0E2-06-000



M1	80-S097-00
----	------------

* This feature is available for US and Canada market only.
 ** This feature is available for Europe market only.
 *** The part numbers beginning with 80-H0 are for US and Canada market only.