

Modern styling, small footprint, affordable price;  
Perfect for today's modern hotel rooms





**CTM-S2115** (Silver & Black)  
1-Line SIP Hidden Base with 1  
Cordless Handset and Charger



**CTM-S2415HC** (Matte Black)  
CTM-C4402+C4012  
1-Line Contemporary SIP Cordless  
Accessory Handset and Charger



**CTM-S2110** (Matte Black)  
1-Line SIP Hidden Base

---

## KEY FEATURES

- Handset with antibacterial plastic inhibits 99.9% of bacteria growth
- Matte and glossy silver finishes resist fingerprint smudges and scratches
- Handset speakerphone: hands-free conversations are easy with a touch of a button
- Remote configuration: program network parameters remotely to avoid disturbing guests
- Hidden Base allows for flexible room placement and reduces cabling costs
- The flexibility to mix and match up to 4 accessory handsets
- Supports up to three Snom M1 SIP DECT repeaters to extend the range up to 500 feet
- Supports up to two handsets behind the M1 DECT repeater connection



## CORDLESS FEATURES

- DECT 6.0\* technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Built-in speakerphone on cordless handset
- Handset Battery Life: up to 7 hours of talk time with 5 days of standby time
- Expandable Cordless System: up to a total of 4 cordless handsets
- Backlit handset dialpad
- Adjustable RF transmission power prevents interference
- Calls are digitized and encrypted making eavesdropping nearly impossible
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- Side handset volume control for easy access
- Pre-installed handset batteries reduces time and labor costs during installation
- Answer a call by simply picking up the handset from the charger

## PHONE FEATURES

- Large, bright visual message waiting indicator on handset
- Base unit supports PoE or local power
- Pass Thru Ethernet Port (10/100)
- Supports VLAN Tagging
- Dedicated MESSAGE button, plus two additional customizable speed dial/guest service keys on handset
- Hearing-aid compatible
- Multi-step volume control for ringer, handset, and speakerphone
- Base unit: Desk or wall-mountable
- Sturdy, solid construction ensures phone stays in place on the desk or nightstand
- Environmentally friendly RoHS program reduces the use of hazardous substances including lead, mercury, and cadmium
- SIP configuration tool for easy mass deployment

**SPECIFICATIONS**

- Handset Colors: Matte Black or Silver & Black
- Base Color: Matte Black
- Message Waiting Signal Type: SIP RFC 3261
- Radio Frequency Baseband: Available in DECT 1.8GHz\*\*, DECT 1.9GHz\*
- Ethernet Port: Fast ethernet port x2
- Base Power Source: PoE or local power (sold separately)
- Charger (C4012): Local power
- Humidity: 65% ± 20%
- Temperature: 25°C ± 10°C
- 2-year limited warranty

**CERTIFICATIONS**

- HAC
- FCC Part 15 Class B
- FCC Part 68
- IC
- UL/cUL
- CE\*\*
- RoHS
- Energy Star®\* - CTM-S2415HC

**CORDS**

Standard LAN Cable w/RJ45 Connectors	6' 6.7"
--------------------------------------	---------

**PRODUCT PART NUMBERS**

Part numbers beginning with 80-H0 are for US and Canadian markets only

	<b>Matte Black</b>	<b>Silver &amp; Black</b>
CTM-S2115	80-H0EJ-15-000	80-H0EJ-06-000
CTM-S2115 (No Emergency Button)	80-H0J7-15-000	80-H0J7-06-000
CTM-S2110	80-H0EG-15-000	—
CTM-S2415HC	80-H0E5-15-000	80-H0E5-06-000
CTM-S2415HC (No Emergency Button)	80-H0J6-15-000	80-H0J6-06-000
CTM-C4402	80-H0E3-15-000	80-H0E3-06-000
CTM-C4402 (No Emergency Button)	80-H0HG-15-000	80-H0HG-06-000
C4012	80-H0E2-15-000	80-H0E2-06-000
Snom M1 Repeater	80-S097-00	—

\*This feature is available for the US and Canadian markets only

\*\*This feature is available for the European market only

**DIMENSIONS**

Phone Measurements	Inches	Centimeters	Weight
CTM-S2115 (Handset + Charger)	3.74" x 2.76" x 8.46"	9.5cm x 7cm x 21.5cm	—
CTM-S2110 (Base)	4.33" x 1.57" x 8.66"	11cm x 4cm x 22cm	—
CTM-S2415HC	3.74" x 2.76" x 8.46"	9.5cm x 7cm x 21.5cm	—
CTM-C4402	8.35" x 1.69" x 1.61"	21.2cm x 4.3cm x 4.1cm	—
C4012	3.74" x 2.76" x 4.21"	9.5cm x 7cm x 10.7cm	—
<b>Carton Measurements (4 per carton)</b>			
CTM-S2115	12.56" x 10.35" x 9.53"	31.9cm x 26.3cm x 24.2cm	8.60lbs (3.91kg)
CTM-S2110	10.47" x 6.26" x 6.93"	26.6cm x 15.9cm x 17.6cm	3.3lbs (1.5kg)
CTM-S2415HC	14.96" x 14.65" x 9.84"	38cm x 37.2cm x 25cm	15.75lbs (7.16kg)