
## **vtech**<sup>®</sup> | Hospitality

### **MODERN** STYLING

**SMALL** FOOTPRINT

### **AFFORDABLE** PRICE

### Perfect for today's modern hotel rooms





## **vtech**<sup>®</sup> | Hospitality

Elegant styling, small footprint - perfect for today's modern hotel rooms

CTM-S2315 SIP, Corded, 1-line phone





CTM-S2315 Silver Black



CTM-S2315 Matte Black

#### **KEY FEATURES**

- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- Embedded WiFi in base means a clutter-free (cable-free) connection
- Remote configuration: program network parameters remotely to avoid disturbing guests
- Base Speakerphone: hands-free conversations are easy with a touch of a button
- Available in Matte Black or Silver Black
- Supports Multicast Paging

#### **Phone Features**

- Large, bright visual message waiting indicator
- · Matte finish or glossy silver resists fingerprint smudges and scratches
- Power over Ethernet (PoE)
- Fully customizable faceplate
- Four programmable speed dial/guest service buttons on base
- Dedicated EMERGENCY and MESSAGE button, plus two additional speed dial/guest service buttons on handset
- Desk or wall mountable
- Hearing aid compatible
- Multi-step volume control (ringer, handset and speakerphone)
- Selectable ring tones
- Sturdy, solid construction ensures phone stays in place on the desk or nightstand
- Environmentally friendly ROHS program reduces the use of hazardous substances including lead, mercury and cadmium
- SIP configuration tool for easy mass deployment



\* This feature is available for US and Canada market only.

vtechhotelphones.com 888.714.7385

## **vtech**<sup>®</sup> | Hospitality

# Elegant styling, small footprint - perfect for today's modern hotel rooms

SPECIFICATIONS	CERTIFICATIONS
Certified with all major SIP PBXs	HAC
Colors: Matte Black, Silver Black	FCC Part 15 Class B
Message waiting signal type: SIP RFC3261	FCC Part 68
Power source: PoE (DC power adaptor sold separately)	IC
Humidity: 65% ± 20%	ETL
Temperature: 25° C ± 10° C	CE
2-year limited warranty	RoHS
	ADA Compliant

CORDS	Desk Version	Wall Mount Version
Standard LAN cable	6 feet 6.7 inches	5 inches
with RJ45 connectors		

#### DIMENSIONS

Carton Measurements: (12 pcs per carton)			
CTM-S2315 - 16.34 in. x 16.34 in. x 9.65 in. (41.5cm x 41.5cm x 24.5cm), weight: 21.30 lbs (9.68 kg)			
Phone Measurements:			
CTM-S2315	- 6.10 in. x 3.07 in. x 6.50 in. (15.5cm x 7.8cm x 16.5cm)		
CTM-S2315 (wall position)	- 8.46 in. x 3.07 in. x 2.87 in. (21.5cm x 7.8cm x 7.3cm)		

#### **PRODUCT PART NUMBERS\*\***

	Matte Black	Silver Black
CTM-S2315	80-H0DT-15-000	80-H0DT-06-000

\* This feature is available for US and Canada market only.

\*\* The part numbers beginning with 80-H0 are for US and Canada market only.