

Give your guests the freedom to roam, the cordless accessory handset features 3 speed dials and a USB charging port on the charging cradle. Guests will appreciate the cordless freedom, while the hotels will welcome speed dials right on the handset for easy communication. Since this accessory phone registers to the cordless base, there's no need to install a phone line or PBX port for installation. The result: lower infrastructure costs and a better guest experience.

Contemporary Analog Accessory Petite Phone

1-Line CTM-A241SDU | 2-Line CTM-A242SDU

Key Features

- DECT 6.0 technology delivers superior sound quality while reducing telecom costs
- Corded design ensures familiar, comfortable guest experience
- Compact size; perfect for guest rooms with limited space
- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- USB charging port makes it easy for guests to charge smart phones and other electronic devices

Phone Features

- CTM-A241P requires base phone: CTM-A2510 or CTM-A2411 or CTM-A2411-BATT
 - CTM-A242P requires base phone: CTM-A2421 or CTM-A2421-BATT
 - No phone line needed; only requires power adapter
 - Sturdy, solid construction ensures phone stays in place on the desk or nightstand
 - Environmentally friendly ROHS program reduces the use of hazardous substances including lead, mercury and cadmium
 - Large, bright visual message waiting indicator alerts guests of new messages. Compatible with all major PBXs
 - Fully customizable faceplate for hotel branding and dialing instructions
 - 0, 3, 5, 10 or 11 customizable speed dials put the hotel's services and amenities at the guest's fingertips
 - Flash, Hold, Mute and Conference*
 - 1 or 2 lines with line key indication*
 - Automatic line selection*
 - Base dialpad
 - Desk- or wall-mountable
 - Multi-step volume control for ring tones and handset
 - Selectable ring tones
 - 5-year limited warranty
- * 2-line model only



Silver and Black



Matte Black



Silver and Pearl



Contemporary Analog Accessory Petite Phone

1-Line CTM-A241P | 2-Line CTM-A242P

Specifications

Radio Frequency Baseband: Available in DECT 1.8GHz, and DECT 1.9GHz

Colors: Silver and Black, Matte Black, Silver and Pearl

Power Source: 5.1VDC

Message Waiting Signal Type: High voltage, low voltage - reverse polarity, FSK, Siemens, Panasonic

Flash: Programmable timing (100/300/600ms)

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Certifications:

- HAC
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS
- ENERGY STAR[®] qualified

Cords:

- 12-foot standard coiled handset cord



Silver and Black



Matte Black



Silver and Pearl

Dimensions

Master Carton Measurements: 14.7 in. x 14.6 in. x 8.9 in., 22.3 lbs, 12 per carton

Phone Measurements: 3.6 in. x 8.5 in. x 2.4 in., 1.5 lbs

Contemporary Analog Accessory Petite Phone

1-Line CTM-A241P | 2-Line CTM-A242P

Product Part Numbers

	Silver and Black	Matte Black	Silver and Pearl
• Model No. CTM-A241P: 1-Line Accessory Petite Non-Speakerphone, 10 Speed Dial Keys	80-H0AW-06-000-10	80-H0AW-15-000-10	80-H0AW-11-000-10
• Model No. CTM-A241P: 1-Line Accessory Petite Non-Speakerphone, 5 Speed Dial Keys	80-H0AW-06-000-5	80-H0AW-15-000-5	80-H0AW-11-000-5
• Model No. CTM-A241P: 1-Line Accessory Petite Non-Speakerphone, 3 Speed Dial Keys	80-H0AW-06-000-3	80-H0AW-15-000-3	80-H0AW-11-000-3
• Model No. CTM-A241P: 1-Line Accessory Petite Non-Speakerphone, Custom Speed Dial Keys	80-H0AW-06-000-CC	80-H0AW-15-000-CC	80-H0AW-11-000-CC
• Model No. CTM-A242P: 2-Line Accessory Petite Non-Speakerphone, 10 Speed Dial Keys	80-H0AX-06-000-10	80-H0AX-15-000-10	80-H0AX-11-000-10
• Model No. CTM-A242P: 2-Line Accessory Petite Non-Speakerphone, 5 Speed Dial Keys	80-H0AX-06-000-5	80-H0AX-15-000-5	80-H0AX-11-000-5
• Model No. CTM-A242P: 2-Line Accessory Petite Non-Speakerphone, 3 Speed Dial Keys	80-H0AX-06-000-3	80-H0AX-15-000-3	80-H0AX-11-000-3
• Model No. CTM-A242P: 2-Line Accessory Petite Non-Speakerphone, Custom Speed Dial Keys	80-H0AX-06-000-CC	80-H0AX-15-000-CC	80-H0AX-11-000-CC



Silver and Black



Matte Black



Silver and Pearl