

Modern styling, small footprints, experience cordless convenience and a 2.8-inch color display handset





NG-S3111 (Silver & Black)
1-Line SIP Cordless Phone



NG-S3111 (Silver & White)
1-Line SIP Cordless Phone



NGC-C3416HC (Silver & Black)
NGC-C5106+C5016
1-Line SIP Cordless Color Accessory
Handset with Charger

KEY FEATURES

- Handset with antibacterial plastic inhibits 99.9% of bacteria growth
- 2.8-inch color display handset
- Scrolling list of programmable speed dials on display
- 3 dedicated physical service keys (message, front desk, emergency)
- Real time clock, room number, and guest name programming available
- Remote configuration: program network parameters remotely to avoid disturbing guests
- The flexibility to mix and match up to 4 accessory handsets
- Supports up to three Snom M1 SIP DECT repeaters to extend the range up to 500 feet
- Supports up to two handsets behind the M1 DECT repeater connection



CORDLESS FEATURES

- DECT 6.0* technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Built-in speakerphone on cordless handset
- Handset Battery Life: Up to 7 hours of talk time with 5 days of standby time
- Expandable Cordless System: up to a total of 4 cordless handsets
- Backlit handset dialpad
- Adjustable RF transmission power prevents interference
- Calls are digitized and encrypted making eavesdropping nearly impossible
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- Answer a call by simply picking up the handset from the charger

PHONE FEATURES

- GigE RJ45 switched computer port provides HSIA for guest computer
- Supports VLAN Tagging
- Dedicated EMERGENCY, MESSAGE, and FRONT DESK buttons, plus customizable scrolling speed dial list on display
- Hearing-aid compatible
- Multi-step volume control for ringer, handset, and speakerphone
- Sturdy, solid construction ensures phone stays in place on the desk or nightstand
- Environmentally friendly RoHS program reduces the use of hazardous substances including lead, mercury, and cadmium
- SIP configuration tool for easy mass deployment

SPECIFICATIONS

- Handset Colors: Silver & Black and Silver & White
- Message Waiting Signal Type: SIP RFC 3261
- Radio Frequency Baseband: Available in DECT 1.8GHz**, DECT 1.9GHz*
- Power Source: PoE or local power (sold separately)
- Charger C5016: Local power
- Humidity: 65% ± 20%
- Temperature: 25°C ± 10°C
- 2-year limited warranty

CERTIFICATIONS

- HAC
- FCC Part 15 Class B
- FCC Part 68
- IC
- UL/cUL
- CE**
- RoHS
- Energy Star®* - NGC-C3416HC

CORDS & ACCESSORIES

	NG-S3111	NGC-C3416HC
Standard LAN Cable w/RJ45 Connectors (Base)	6'6" (2 meters)	—
Power Adapter (Handset Charger)	—	Included
Handset Battery	Included	Included

PRODUCT PART NUMBERS (Part numbers beginning with 80-H0 are for US and Canadian markets only)

	Silver & Black	Silver & White
NG-S3111	80-H0GY-06-000	80-H0GY-11-000
NGC-C3416HC	80-H0F9-06-000	—
Snom M1 Repeater	80-S097-00	—

DIMENSIONS

Phone Measurements	Inches	Centimeters	Weight
NG-S3111	3.3" x 4.3" x 7.6"	8.3cm x 11cm x 19.4cm	1.1lbs (485g)
NGC-C3416HC (Handset + Charger)	7.5" x 1.99" x 2.5"	19cm x 5cm x 6.3cm	.8lb (357g)
NGC-C5106 Handset	7.09" x 1.98" x .57"	18cm x 5cm x 1.5cm	.3lb (141g)
C5016 Charger	1.26" x 1.97" x 2.48"	3.2cm x 5cm x 6.3cm	.5lb (216g)
Carton Measurements (12 per carton)			
NG-S3111	17.5" x 13.2" x 9"	44.5cm x 33.5cm x 22.8cm	TBD
Carton Measurements (24 per carton)			
NGC-C5016	13.86" x 8.5" x 8.35"	35.2cm x 21.6cm x 21.2cm	TBD
C5016	12.6" x 8.82" x 7.88"	32cm x 22.4cm x 20cm	TBD