

Modern styling, feature-rich trimstyle cordless phone, small footprint; Perfect for today's modern hotel rooms





Matte Black



Silver/Black



Gunmetal/Black

NG-S3412 1-Line SIP Next Gen Cordless Hotel Telephone

NG-C3411HC (NG-C5101+C5012)
1-Line Cordless Accessory Handset and Charger

KEY FEATURES

- Very small footprint - 1.7" x 4.8" x 7.2" (8.2cm x 12.1cm x 18.3cm)
- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- Gloss silver or matte finish resists fingerprint smudges and scratches
- Chemically resistant to alcohol cleaning and treatment
- Customisable handset rear section for colour or hotel branding opportunities
- Fully customisable faceplate for hotel branding and dialing instructions
- Pair up to 5 accessory handsets
- Power over Ethernet (PoE): telephone features work without needing to plug into DC power
- Advanced SIP configuration tool for easy mass deployment and phone monitoring



PHONE FEATURES

- 1 feature key on both base and handset: Mute
- Up to 10 removable, programmable speed dials on base
- 4 fixed, programmable speed dials (including MESSAGE) on handset
- Dial pad on base
- Magnetic hook switch
- Visual message waiting indicator alerts guests of new messages
- Compatible with all major PABXs
- Hearing aid compatible (HAC)
- Multi-step volume control for ringer, handset, and speakerphone
- Selectable ring tones
- Desk or wall-mountable
- Sturdy, solid construction ensures phone stays in place on a table or desk
- Environmentally friendly RoHS program reduces the use of hazardous substances, including lead, mercury, and cadmium



CORDLESS FEATURES

- Adjustable RF transmission power prevents interference
- Built-in speakerphone on both base and cordless handset
- Handset battery life: up to 7 hours of talk time with 7 days of standby time
- Expandable cordless system: up to a total of 5 cordless handsets
- Calls are digitized and encrypted, making eavesdropping nearly impossible
- Backlit handset dial pad
- Answer a call by simply picking up the handset from the charger
- Charge LED feature ensures handset battery is charging
- DECT technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Low battery indicator on cordless handset for easy maintenance
- Quickly locate all cordless handsets in the system using the Find Handset key
- Register additional handsets quickly and easily

GUEST SERVICE KEYS (EXAMPLE)



10 Buttons

SPECIFICATIONS

- Colours: Silver/Black, Gunmetal/Black, Matte Black, and Pearl/Black
- Radio Frequency Baseband: DECT 1.7GHz, DECT 1.8GHz
- Compatible with all major PABXs
- Message Waiting Signal Type: Varies by PBX, including SIP RFC 3261
- Base Power Source: PoE (DC power adaptor sold separately)
- Handset Power Source: DC External Power
- Humidity: 45% - 85%
- Temperature: 5°C - 45°C

CERTIFICATIONS

- HAC
- CE
- RoHS
- UKCA

E: charles.williams@vtecheurope.com

T: +44 1746 769580 (EMEA)

E: marten_leung@vtech.com

T: +852 2680 1443 (APAC)



CORDS & ACCESSORIES

	NG-S3412	NG-C3411HC	
Standard LAN Cable w/RJ45 Connectors	6.6' (2 meters)	—	
Short LAN Cable w/RJ45 Connectors	0.4' (0.125 meters)	—	
Wall Mount	Included	—	
Power Adapter	—	Included	
Handset Battery	Included	Included	

DIMENSIONS

Phone Measurements	INCHES	CENTIMETERS	WEIGHT
NG-S3412 (Desk Mounted)	1.7" x 4.8" x 7.2"	8.2cm x 12.1cm x 18.3cm	1.23lbs (556g)
NG-S3412 (Wall Mounted)	1.7" x 2.4" x 8.5"	8.2cm x 6.1cm x 21.6cm	0.84lbs (380g)
NG-C3411HC (Desk Mounted)	2.1" x 5.7" x 7.2"	5.3cm x 14.6cm x 18.3cm	0.73lbs (332g)
NG-C3411HC (Wall Mounted)	2.1" x 2.2" x 8.5"	5.3cm x 5.6cm x 21.6cm	0.52lbs (235g)
NG-C5101 (Handset)	1.9" x 0.8" x 8"	4.8cm x 2.1cm x 20.3cm	0.32lbs (145g)
C5102 (Charger)	2.1" x 4.8" x 5.2"	5.3cm x 12.1cm x 13.3cm	0.16lbs (72g)

Carton Measurements	INCHES	CENTIMETERS	WEIGHT
NG-S3412 (12 pcs per carton)	18.9" x 18.1" x 9.2"	48cm x 46cm x 23.4cm	TBD
NG-C5101 (24 pcs per carton)	13.9" x 8.5" x 9.3"	35.4cm x 21.6cm x 23.7cm	10.49lbs (4.76kg)
C5102 (12 pcs per carton)	15.2" x 9.5" x 6"	38.6cm x 24.2cm x 15.3cm	7.76lbs (3.52kg)

* Some features may be revised subject to final design of hardware and software platform.
All weights above have included the weights of cords and accessories.