
Customizable hotel phone that combines form and function



vtech® | Hospitality

NG-S3412

1-Line SIP Cordless Phone



NG-C3411HC NG-C5101+C5012

1-Line Cordless Accessory Handset and Charger

KEY FEATURES

- Very small footprint 3.2" x 4.8" x 7.2"
- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- · Cordless handset speakerphone
- Remote configuration: program speed dials and other network parameters remotely from the server room to avoid disturbing guests
- Four non-removable, programmable speed dials on handset
- · Customizable handset accent piece for color or branding opportunities
- Pair up to 5 accessory handsets

PHONE FEATURES

- · Environmentally friendly RoHS program reduces the use of hazardous substances, including lead, mercury, and cadmium
- · One feature key: Mute
- Multicast paging support on base speakerphone
- · Dialpad on base
- Compatible with all major PBXs
- Desk or wall-mountable
- Fully customizable faceplate for hotel branding and dialing instructions
- Power over Ethernet (PoE): telephone features work without AC power
- · Hearing-aid compatible
- Large, bright visual message waiting indicator alerts guests of new messages
- Multi-step volume control for ringer, handset, and speakerphone
- Selectable ring tones
- Up to 10 programmable speed dials on base
- Three fixed, programmable speed dials on handset
- One fixed, programmable message retrieval speed dial on handset



vtech® | Hospitality

CORDLESS FEATURES

- Adjustable RF transmission power prevents interference
- Built-in speakerphone on both base and cordless handset
- Handset battery life: up to 7 hours of talk time with 7 days of standby time
- Expandable cordless system: up to a total of 5 cordless handsets
- · Calls are digitized and encrypted; making eavesdropping nearly impossible
- · Backlit handset dialpad
- · Answer a call by simply picking up the handset from the charger
- Charge LED feature ensures handset battery is charging
- DECT 6.0* technology eliminates interference from wireless networks and other wireless devices for superior sound quality
- Low battery indicator on cordless handset for easy maintenance
- · Quickly locate all cordless handsets in the system using the Find Handset key
- · Register additional handsets quickly and easily

SPEED DIAL LAYOUTS







5 Buttons



10 Buttons

SPECIFICATIONS

- Radio Frequency Baseband: DECT 1.8GHz**, DECT 1.9GHz*
- Colors: Matte Black, Silver & Black, Gunmetal & Black, or Pearl & Black
- Power Source: PoE or Power Adaptor (sold separately)
- Message Waiting Signal Type: Varies by PBX
- Humidity: 65% ± 20%
- Temperature: 25°C ± 10°C
- · 2-year limited warranty

CERTIFICATIONS

- HAC
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE**
- ETL
- RoHS
- ADA Compliant
- Energy Star®* NG-C3411HC

CORDS & ACCESSORIES	NG-S3412	NG-C3411HC
Standard LAN Cable w/RJ45 Connectors - 6'6"	Included	_
Wall Mount	Included	_
Power Adapter	_	Included
Handset Battery	Included	Included



PRODUCT PART NUMBERS (Part numbers beginning with 80-H0 are for US and Canadian markets only)

	Matte Black	Gunmetal & Black	Silver & Black	Pearl & Black
NG-S3412 (10 Speed Dial Keys)	80-H0GU-13-000-10	80-H0GU-50-000-10	80-H0GU-00-000-10	80-H0GU-08-000-10
NG-S3412 (5 Speed Dial Keys)	80-H0GU-13-000-5	80-H0GU-50-000-5	80-H0GU-00-000-5	80-H0GU-08-000-5
NG-S3412 (3 Speed Dial Keys)	80-H0GU-13-000-3	80-H0GU-50-000-3	80-H0GU-00-000-3	80-H0GU-08-000-3
NG-S3412 (0 Speed Dial Key)	80-H0GU-13-000-0	80-H0GU-50-000-0	80-H0GU-00-000-0	80-H0GU-08-000-0
NG-S3412 (Custom Speed Dial Keys)	80-H0GU-13-000-CC	80-H0GU-50-000-CC	80-H0GU-00-000-CC	80-H0GU-08-000-CC
NG-C3411HC (Handset + Charger)	80-H0F8-15-000	80-H0F8-49-000	80-H0F8-06-000	80-H0F8-11-000
NG-C5101 (Handset)	80-H0GF-15-000	80-H0GF-49-000	80-H0GF-06-000	80-H0GF-11-000
C5012 (Charger)	80-H0GG-15-000	_	_	_

DIMENSIONS

Phone Measurements	Inches	ches Centimeters	
NG-S3412 (Desk-Mounted)	3.2" x 4.8" x 7.2"	8.2cm x 12.1cm x 18.3cm	1.1lbs
NG-S3412 (Wall-Mounted)	3.2" x 2.4" x 8.5"	8.2cm x 6.1cm x 21.6cm	0.7lb
NG-C3411HC (Handset + Charger)	2.1" x 5.5" x 7"	5.3cm x 14cm x 17.8cm	.8lb
NG-C5101 (Handset)	8" x 1.9" x .8"	20.3cm x 4.8cm x 2.1cm	.3lb
C5012 (Charger)	2.1" x 4.8" x 5.3"	5.3cm x 12.3cm x 13.4cm	.5lb
Carton Measurements (12 per carton)			
NG-S3412	18.9" x 18.1" x 9.2"	48cm x 46cm x 23.4cm	TBD
NG-C5101 (Handset)	14.25" x 9.5" x 8.75"	36.2cm x 24.1cm x 22.2cm	9.8lbs
C5012 (Charger)	15.25" x 6.25" x 10.25"	38.7cm x 15.9cm x 26cm	7.6lbs