
Modern styling, ringdown lobby phone, antibacterial & anti-fingerprint; Perfect for today's modern hotel rooms



vtech® | Hospitality



1-Line SIP Contemporary Corded Lobby Hotel Telephone

KEY FEATURES

- Antibacterial plastic inhibits 99.9% of bacteria growth
- Gloss silver or matte finish resists fingerprint smudges and scratches
- · Ringdown Automatically dials designated number when guest picks up handset (Requires configuration)
- · Advanced SIP configuration tool for easy mass deployment and phone monitoring

VTech ANTIBACTERIAL WWW.

PHONE FEATURES

- Power over Ethernet (PoE): telephone features work without AC power
- · Fully customisable faceplate for hotel branding and dialing instructions
- Desk or wall-mountable
- · Hearing-aid compatible
- Multi-step volume control (ringer and handset)
- Selectable ring tones
- Sturdy, solid construction ensures phone stays in place on a table or desk
- Environmentally friendly RoHS program reduces the use of hazardous substances including lead, mercury, and cadmium

vtech[®] | Hospitality

SPECIFICATIONS

• Colours: Matte Black, Silver/Black, Silver/Pearl, and Red/Black

• Compatible with all major PBXs

• Message Waiting Signal Type: Varies by PBX, including SIP RFC 3261

Power Source: PoE Class 2
Humidity: 45% - 85%
Temperature: 5°C - 45°C



S2100-X (Red/Black)

CERTIFICATIONS

- HAC
- CE
- RoHS
- UKCA

CORDS & ACCESSORIES

| S21 | \cap | · V |
|------|--------|-----|
| 32 I | υu | '-^ |

| Standard LAN Cable w/RJ45 Connectors) | 10' (3 meters) | |
|---------------------------------------|-------------------|--|
| Standard Coiled Handset Cord | 12' (3.66 meters) | |
| Wall Mount for Base | Included | |

DIMENSIONS

| Phone Measurements | INCHES | CENTIMETERS | WEIGHT |
|--|---------------------|--------------------------|-------------------|
| S2100-X (Desk Mounted) | 8.1" x 6" x 4.2" | 20.6cm x 15.3cm x 10.7cm | 1.8lbs (836g) |
| S2100-X (Wall Mounted) | 2.7" x 6" x 8.5" | 6.9cm x 15.3cm x 21.5cm | 1.5lbs (667g) |
| | | | |
| Carton Measurements (4 pcs per carton) | | | |
| S2100-X | 14.9" x 9.1" x 9.3" | 37.8cm x 23.2cm x 23.6cm | 10.3lbs (4.684kg) |

^{*} Some features may be revised subject to final design of hardware and software platform.